




A
—
B
—
C
—
D
—
E
—
F



POST PRODUCT MATRIX			
(D) DIAMETER 12 MM	HEIGHT (H)	D DIAMETER 16 MM	HEIGHT (H)
P-12-30 M6/M6	30		
P-12-40 M6/M6	40		
P-12-50 M6/M6	50	P-16-50 M6/M6	50
P-12-75 M6/M6	75	P-16-75 M6/M6	75
P-12-100 M6/M6	100	P-16-100 M6/M6	100
P-12-150 M6/M6	150	P-16-150 M6/M6	150
P-12-200 M6/M6	200	P-16-200 M6/M6	200
P-12-250 M6/M6	250	P-16-250 M6/M6	250
P-12-300 M6/M6	300	P-16-300 M6/M6	300




PRODUCT DETAILS

These stainless steel posts are precision ground to $\phi 12$ or $\phi 16$ with H6 tolerance. They have M6 tapped holes at both ends for base mounting. These posts may also be available with M6-M4 holes at both ends, on demand. The posts are available in a variety of lengths as per the table or your custom size. The horizontal thru holes help to tighten the post on mount, without a wrench or a screw driver.

SPECIFICATIONS

Material : Stainless steel SS 304
Finish : Ground finish.
Dimensions : As per product matrix.
Tapping : M6/M4 (or M6/M4) on both ends.
D is the diameter of post.

LINEAR DIMENSIONS	0.5-3	3-6	6-30	30-120	120-315	315-1000	SURFACE FINISH ALL OVER	1.6
DEVIATIONS IF UNSPECIFIED	±0.1	±0.1	±0.2	±0.3	±0.5	±0.6	ISSUE	AMENDMENTS
MATL : STAINLESS STEEL							Est. wt	
DRN :Sandeep Sharma				DATE:-		USED ON		
CHK : N.G.								
TITLE : STANDARD POST							DWG.	
							SHEET	
LAMBDA OPTIFAB							G-3D POLOGROUND INDUSTRIAL ESTATE, INDORE	